

The future of cooking is now





BO











VENUS 700

2 independent cooking zone 2 independent heating elements of 6.6 kW each TOT 13.2 KW at full power W. 93 D. 75 H. 42 // W. 83 (without side handles) 80 kg approx.



SPECIFICATIONS

GLASS CERAMIC

Glass-ceramic is approved and certified as the best material for

safeguarding foods during cooking, since it prevents them from sticking and does not emit leftovers of any kind. Venus is therefore your passport to healthy cooking.

It also guarantees flawless hygiene, since it can be washed with soap and an ordinary dishcloth or a wet paper towel.

CONTROL PANEL

The Venus Gas control knob provides constant temperatures of about 50°C/400°C, reached in very few minutes, while Venus Electric Touch includes a power touch screen control, for the same temperature range.

EQUIPMENT


On the right side, Venus is equipped with a drainage duct to convey cooking fats into a special removable drawer in the base.

The side carrier handles are in Bakelite to protect against burns.

CHARACTERISTICS COMMON TO ALL MODELS

Structure in 304 stainless steel with FCM authorisation Glass support frame in Aluminium with Teflon coating with FCM authorisation Glass-ceramic cooking surface





Fat drainage runnel



Glass ceramic cooking surface SCHOTT CERAN® professional 6 mm



Wheel with brake



Removable, cleanable drawer for residual oil and fat



Heat-resistant glove for removing glass-ceramic corrugated pads



Venus eco trolley



Steel spatula for pad removal



Scraper spatula for cleaning glass ceramics

BLACK PROFESSIONAL

Both versions are made of inox steel 304 FCM, with black finishing.




VENUS 700 BLACK PROFESSIONAL



VENUS 1000 BLACK PROFESSIONAL






ACCESSORIES

Custom baking pan in 304 stainless steel to be used for soups and stews.


Available for Venus 700 and Venus 1000, in sizes: 90x45x14 cm 60x45x14 cm






DIMENSIONS OF WHEELED STAND

PLINTH FOR WHEELED STAND H 605 mm / W 1350 mm / D 750 mm H 105 mm / W 710 mm / D 1310 mm



DIMENSIONS OF LARGE SINGLE DRAWER **UNIT FOR WHEELED STAND**


H 398 mm / W 624 mm / D 717 mm



HOOD DIMENSIONS

H 400 mm / W 480 mm / D 1200 mm

DIMENSIONS OF WHEEL MASKING




DIMENSIONS OF REAR SERVICE SHELF OF HOOD KIT

H 40 mm / W 1198 mm / D 250 mm


DIMENSIONS OF DOUBLE DRAWER

H 398 mm / W 624 mm / D 717 mm

UNIT FOR WHEELED STAND




H 1540 mm / W 1358 mm / D 649 mm



DIMENSIONS OF HOOD KIT COMPLETE WITH UPRIGHTS FOR MOUNTING ON WHEELED STAND FOR SIDE SHELVES OF WHEELED STAND DIMENSIONS OF SET OF RETAINER EDGES


H 113 mm / W 398 mm / D 575 mm



DIMENSIONS OF SERVICE SHELF FOR WHEELED STAND

H 536 mm / W 570 mm / D 475 mm


SET OF CARBON FILTERS H 351 mm / W 351 mm / D 450 mm



PAD COMPARTMENT GLASS CERAMICS H 113 mm / W 398 mm / D 575 mm

STANDARD WHEELED STAND WITH BRAKE

H 113 mm / W 398 mm / D 575 mm





MAXIMUM OVERALL DIMENSIONS

H 560 mm / W 1260 mm / D 673 mm

HOOD KIT









CLEANING THE VENUS STAINLESS STEEL AND ALUMINIUM COMPONENTS



Cleaning specifications for all stainless steel parts: use a damp cotton or microfibre cloth, with a specific product or cleaner for stainless steel if necessary Do not use: abrasive sponges which might scratch the steel, or abrasive cleaners. Cleaning specifications for glass ceramic cooking surface support frame (aluminium): use a damp cotton or microfibre cloth with a little washing-up liquid and hot water if necessary. Then dry thoroughly with a dry cloth.

CLEANING THE GLASS CERAMIC SURFACE

Mainly with ice-thermal shock, but also with synthetic sponges (such as Scotchbrite), cotton or microfibre cloths, kitchen roll, or specific products for glass ceramic surfaces. Use washing-up liquid diluted in warm water. Before next use rinse with vinegar or vinegar and lemon. Such operation should be done when the glass-ceramic plate is still lukewarm, so that any spilt foods or burnt fats can be removed with an ordinary scraper. After cleaning, rinse with water and dry thoroughly.

NB

Water jets must not be directed straight at the appliance.

Cleaning specifications for residual oil and fat box:

remove, empty and rinse with warm water and washing-up liquid.





